#### **IBAT Meeting**

September 21, 2017

Participating Agencies: BSEE, NIST, NASA, Navy, DOE-NETL

**ASTM Week** – Hydrogen Embrittlement (HE) Forum worth considering attending (November, 2017, Atlanta, GA)

**Torq-Comm Presentation:** Overview on quality control for torqueing of bolts. Explained new technology for monitoring applied torque and ensuring it meets the torqueing plan.

#### **ASTM B633 Telecom Concerns**

- Navy will engage with ASTM B633 & ASTM F1941 to work with them on developing bolt coating requirements
  - o Committees are working together to harmonize bolting requirements
  - Expects to have some difficulty
- DOE NETL will give presentation at the ASTM Week on Corrosion performance of ultra-high strength steels in Brines
  - o UD 165
  - Presentation slides will be shared with IBAT

## Recommended Bolt Manufacturer Test Requirements & Hydrogen Embrittlement

- NIST recommend bolt manufacturers to test bolts for strength rather than hardness, HE.
  - o Presented hardness as a red herring for strength in high strength steels
  - o Recommended to test for hydrogen susceptibility
  - Should test individual batches of bolts
  - Hardness does not give true indication of bolt material properties
  - No correlation between hardness and strength in the higher strength steels
    - Navy agrees with this statement.
  - Testing of hydrogen embrittlement has been done under ideal conditions and may not translate to real life situations
  - The data currently available is not enough to correlate hardness and hydrogen susceptibility

## Hydrogen Embrittlement Analysis & Recommended Materials for Subsea Applications

- NASA
  - Currently there are no standards specifying acceptable hydrogen susceptibility limits
  - Establish limits for each material through testing
  - Recommends analyzing for hydrogen embrittlement
  - Assess the environment to determine how much hydrogen the material will be exposed to and design for that.
  - There is nowhere near enough data to rely on hardness as a method, or select 35 as the magic number.
  - Superalloys are not always the best answer even high strength super alloys have issues with hydrogen. Bottom line, don't pick the wrong material for the environment.
- Navy
  - Navy has moved away from iron based materials (for subsea applications)
  - Use more nickel, copper, etc for underwater environments.

- Typically lean towards monel, k-monel for seawater applications due to corrosion resistance
- NIST how do you know what's good and bad

# Irish coast bolt failure

- Careful comparing the Irish coast bolt failure to US bolt bolt failures
- It may not have any correlation due to the difference in manufacturing and material standards (ISO vs US)